



2014

# A Grassroots Program for Youth Suicide Prevention

Stephanie Stockburger

University of Kentucky, [stephanie.stockburger@uky.edu](mailto:stephanie.stockburger@uky.edu)

Hatim A. Omar

University of Kentucky, [hatim.omar@uky.edu](mailto:hatim.omar@uky.edu)

**Right click to open a feedback form in a new tab to let us know how this document benefits you.**

Follow this and additional works at: [https://uknowledge.uky.edu/pediatrics\\_facpub](https://uknowledge.uky.edu/pediatrics_facpub)



Part of the [Pediatrics Commons](#)

---

## Repository Citation

Stockburger, Stephanie and Omar, Hatim A., "A Grassroots Program for Youth Suicide Prevention" (2014). *Pediatrics Faculty Publications*. 180.

[https://uknowledge.uky.edu/pediatrics\\_facpub/180](https://uknowledge.uky.edu/pediatrics_facpub/180)

This Article is brought to you for free and open access by the Pediatrics at UKnowledge. It has been accepted for inclusion in Pediatrics Faculty Publications by an authorized administrator of UKnowledge. For more information, please contact [UKnowledge@lsv.uky.edu](mailto:UKnowledge@lsv.uky.edu).

---

## **A Grassroots Program for Youth Suicide Prevention**

### **Notes/Citation Information**

Published in *Dynamics of Human Health*, v. 1, no. 4.

Per publisher: "You can use articles and share them with others, with appropriate credit, but you can't use the articles commercially or change them in any way."

Reprinted as a book chapter in *Youth Suicide Prevention: Everybody's Business*. Hatim A. Omar, (Ed.). p. 151-155.

## **A grassroots program for youth suicide prevention**

Stephanie J Stockburger MD, Hatim A Omar MD

*Division of Adolescent Medicine, Department of Pediatrics, University of Kentucky, Lexington, Kentucky*

Suicide is a major public health problem. It affects people of all ages. Youth, in particular, have a disturbingly high suicide rate. Suicide is the third leading cause of death for young people between the ages of 10 and 24 (1). Approximately 4600 young people die each year from a suicide attempt (1). The most common methods used in suicides are firearms (45%), suffocation (which may be in the form of hanging) (40%), and poisoning (8%) (1).

However, more young people survive suicide attempts than actually die from the attempt. A national survey of youth in both private and public schools, grades 9-12, found that 16% of students reported considering suicide (1). Thirteen percent reported having a plan for suicide, and 8% had a suicide attempt within the last 12 months preceding the survey (1). Suicide is not a comfortable topic. We have found that the more we talk about suicide, and research suicide, the more we can do to help prevent it. By opening up conversations about suicide, we aid in the prevention process and keep more of our young people alive.

### *Program Description*

The “Stop Youth Suicide Campaign” is a grassroots program that began in October 2000 (2). The campaign was started by a coalition which included thirty agencies in the Central Kentucky area (2). The coalition included the Adolescent Medicine program at the University of Kentucky (leader of the coalition), the Coroner’s Office, the health department, several local media outlets, participants from the school system, parent groups and many others (2).

The goals of the program are: 1) To improve community awareness of the problem of youth suicide. 2) To assess the need in the community and basic knowledge on youth suicide. 3) To start a public education campaign targeting parents, teachers and everyone who has anything to do with teens. 4) To provide for improved education of medical care providers that deal with adolescents and to improve their knowledge and comfort level in screening and assessing for depression and suicide. 5) To provide around the clock, available help to any teenagers in the area who were suicidal or need help in that regard (2).

To accomplish these goals, the campaign started with a media press conference and an announcement by the mayor’s office in Lexington, KY which informed people in the local area about the program (2). The campaign then developed a website: [www.stopyouth-suicide.com](http://www.stopyouth-suicide.com) which provides information on youth suicide, contact information for the campaign, and suicide hotline phone numbers (2). Anyone is able to contact the campaign in case help is needed (2). The campaign then produced a local video focusing on the stories of teenagers who had attempted suicide and survived, as well as the stories of their parents and peers (2). Experts in the video discussed understanding youth suicide and suicide prevention strategies (2).

The next step was to offer education to medical providers. This was done through numerous lectures and workshops. From October 2000 to December 2004, a total of 60 lectures and workshops and three full day conferences devoted to youth suicide prevention training to medical care providers of all levels (2).

The campaign has also participated in working with the state government and local agencies to build and establish a state-wide youth suicide prevention program (2). In addition, the Stop Youth Suicide Campaign has participated in church and school activities in multiple visits to all area middle and high schools (2). Stop Youth Suicide continues this high level of commitment of providing education and awareness of prevention strategies to youth, parents, schools, community leaders, and the community at large.

The Stop Youth Suicide campaign and the Division of Adolescent Medicine at the University of Kentucky annually host a day-long conference called "Stop Youth Suicide." The conference is open to the community as are all Stop Youth Suicide events. Conference attendees have included teens, parents, medical providers, mental health providers, religious leaders, teachers, and school guidance counselors. The conference is held in Lexington, Kentucky. During the morning of the conference, Stop Youth Suicide Founder, Hatim Omar, MD typically gives an opening session describing youth suicide statistics and what we can do to aid in prevention. Following are various speakers on other topics of great importance to youth including public health topics, and information about adolescent growth and development. The highlight for many who attend the conference is a teen panel which typically consists of 8-10 teens. The teens on the panel help the audience to see the world from their perspective and often have stories to share about challenges they have faced. The afternoon of the conference consists of various breakout sessions. Topics are all teen-relevant and include: substance abuse, eating disorders, cyberbullying, ADHD, ethical issues, and sexual abuse. At the end of the conference day, participants are encouraged to complete an evaluation form.

This year, an event specifically geared toward teens on the Thursday night before the Friday day-long conference was an exciting addition to the schedule. Approximately 40-50 teens as well as a handful of adults attended the event. The opening speaker was Doug Wain, founder of Youth Alert, a grassroots Violence Prevention program. According to a survey administered following this presentation, 100% of the audience surveyed said they agreed with the presentation (3). Eighty-three percent of the audience surveyed thought this one-hour condensed presentation would help stop someone from doing violence even if just a little (3). Jenna Day, Miss Kentucky 2013 was the second speaker. She gave an inspiring talk on self-image. She emphasized that we are more than what we look like on the outside and that we should not be hampered by the judgments of others. The final session of the evening was a panel which included two mental health professionals and Jenna Day. They passed on advice to the audience including not to "sweat the small things." The setting was in a formal hotel conference room with dinner provided for all who attended. Concurrently, a session about the Human Papillomavirus was available for interested parents and adults. Multiple experts in the field were present at this well-received information session which also included dinner.

Overall, the known impact of the Stop Youth Suicide campaign since its inception on October 13, 2000 is that fourteen adolescent lives have been documented as saved through Stop Youth Suicide (4). The Stop Youth Suicide website ([www.stopyouthsuicide.com](http://www.stopyouthsuicide.com)) has received over 1000 emails and thousands of phone calls (4).

In addition, feedback from the annual Stop Youth Suicide Conference is very positive (5). On the 2013 conference evaluation form, participants were asked about the most valuable aspects of the conference. A large number of participants found the teen panel to be the most

valuable aspect of the conference (5). The teens always provide insightful and enlightening answers to audience questions that aide in understanding of life through a teen's eyes in the current world. Other comments included "nice range of presentations and workshops" and "obvious caring attitude of speakers, organizers, and attendees" (5). A number of participants commented on Dr. Omar's overview of teens and suicide, that it was the most valuable aspect of the conference (5). One participant commented, "I was startled by the suicide statistics! I think most of the audience was! Hearing from the youth themselves was great!" (5). While this is a sample of comments from one Stop Youth Suicide campaign event, these comments are similar to the evaluations the campaign's numerous events. The true positive impact of the Stop Youth Suicide campaign may never be known due to the unknown number of lives each individual may impact.

#### References:

1. Center for Disease Control [Internet]. Atlanta: CDC Injury Center: Violence Prevention, Suicide Prevention: Youth Suicide; [updated 2014 Jan 9; cited 2014 Dec 1]. CDC, National Center for Injury Prevention and Control, Division of Violence Prevention. Available from: [http://www.cdc.gov/violenceprevention/pub/youth\\_suicide.html](http://www.cdc.gov/violenceprevention/pub/youth_suicide.html)
2. Omar HA. A model program for youth suicide prevention. *Int J Adolesc Med Health*. 2005;17(3):275-8.
3. Five Question Youth Survey Results, a formative assessment. Lexington, KY. Unpublished material. YouthAlert (YA!) Violence Prevention/Health Program; 2014 Nov 13.
4. Youth Suicide Campaign [Internet]. Lexington, KY: Stop Youth Suicide Campaign; [cited 2014 Dec 1]. Available from: <http://www.stopyouthsuicide.com/default.htm>
5. Participant Evaluations from 2013 Stop Youth Suicide conference. Lexington, KY. Unpublished material. University of Kentucky Adolescent Medicine Clinic; 2013 Nov 8.